

## PERFORMANCE TABLE

<b>Winchester 140-gr. BS</b>	<b>Ruger 77R</b>	<b>Remington 700 BDL DM</b>	<b>Marlin MR-7</b>
Average Velocity at 15 ft.	3,085 fps	3,057 fps	3,050 fps
Standard Deviation	11 fps	5 fps	22 fps
Average Muzzle Energy	2,961 ft-lbs	2,907 ft-lbs	2,894 ft-lbs
Smallest Group at 100 yds.	2.25 inches	1.75 inches	1.00 inches
Largest Group Size	2.50 inches	2.00 inches	1.50 inches
Average Group Size	2.38 inches	1.82 inches	1.23 inches
<b>Federal Prem. 150-gr. NP</b>			
Average Velocity at 15 ft.	3,036 fps	3,027 fps	2,991 fps
Standard Deviation	21 fps	12 fps	5 fps
Average Muzzle Energy	3,072 ft-lbs	3,054 ft-lbs	2,982 ft-lbs
Smallest Group at 100 yds.	1.50 inches	1.00 inches	1.50 inches
Largest Group Size	2.00 inches	1.50 inches	2.00 inches
Average Group Size	1.68 inches	1.28 inches	1.73 inches
<b>Remington 165-gr. CL SP</b>			
Average Velocity at 15 ft.	2,926 fps	2,939 fps	2,893 fps
Standard Deviation	30 fps	24 fps	38 fps
Average Muzzle Energy	3,139 ft-lbs	3,167 ft-lbs	3,069 ft-lbs
Smallest Group at 100 yds.	0.87 inches	1.00 inches	2.00 inches
Largest Group Size	1.25 inches	1.50 inches	2.25 inches
Average Group Size	1.05 inches	1.18 inches	2.08 inches
Accuracy testing consisted of five consecutive 3-shot groups with each load. fps=feet per second. ft-lbs=foot-pounds			