

## PERFORMANCE TABLE

<b>Winchester 110-gr. STHP</b>	<b>S&amp;W 64-4</b>	<b>Colt DS-II</b>	<b>EAA Windicator</b>
Average Velocity at 15 ft.	866 fps	852 fps	895 fps
Standard Deviation	4 fps	24 fps	17 fps
Average Muzzle Energy	183 ft-lbs	177 ft-lbs	196 ft-lbs
Smallest Group at 15 yds.	1.75 inches	2.50 inches	2.13 inches
Largest Group Size	2.00 inches	3.50 inches	2.75 inches
Average Group Size	1.87 inches	2.90 inches	2.43 inches
<b>Federal Nyclad 125-gr. HP</b>			
Average Velocity at 15 ft.	825 fps	817 fps	851 fps
Standard Deviation	25 fps	8 fps	10 fps
Average Muzzle Energy	189 ft-lbs	185 ft-lbs	201 ft-lbs
Smallest Group at 15 yds.	2.13 inches	2.13 inches	2.38 inches
Largest Group Size	2.50 inches	2.75 inches	2.75 inches
Average Group Size	2.35 inches	2.50 inches	2.60 inches
<b>Remington 158-gr. LHP +P</b>			
Average Velocity at 15 ft.	850 fps	860 fps	N/A
Standard Deviation	8 fps	8 fps	N/A
Average Muzzle Energy	254 ft-lbs	260 ft-lbs	N/A
Smallest Group at 15 yds.	2.00 inches	2.25 inches	N/A
Largest Group Size	2.63 inches	3.00 inches	N/A
Average Group Size	2.33 inches	2.63 inches	N/A

Accuracy testing consisted of five consecutive 5-shot groups with each load.  
 fps=feet per second. ft-lbs=foot-pounds