

PERFORMANCE TABLE

Fed. Prem. 160-gr. NP	Rem. 700 BDL SS DM-B	Savage 116 FCSAK	Winchester 70 CS BOSS
Average Velocity at 15 ft.	2,954 fps	2,844 fps	2,951 fps
Standard Deviation	26 fps	23 fps	29 fps
Average Muzzle Energy	3,103 ft-lbs	2,876 ft-lbs	3,096 ft-lbs
Smallest Group at 100 yds.	1.50 inches	1.13 inches	1.13 inches
Largest Group Size	2.13 inches	1.50 inches	1.38 inches
Average Group Size	1.78 inches	1.30 inches	1.28 inches
Remington 165-gr. ER			
Average Velocity at 15 ft.	2,790 fps	2,749 fps	2,794 fps
Standard Deviation	19 fps	9 fps	10 fps
Average Muzzle Energy	2,854 ft-lbs	2,771 ft-lbs	2,862 ft-lbs
Smallest Group at 100 yds.	1.25 inches	0.78 inches	0.87 inches
Largest Group Size	1.50 inches	1.38 inches	1.13 inches
Average Group Size	1.40 inches	1.10 inches	0.97 inches
Winchester 175-gr. PP SP			
Average Velocity at 15 ft.	2,971 fps	2,866 fps	2,984 fps
Standard Deviation	13 fps	10 fps	12 fps
Average Muzzle Energy	3,433 ft-lbs	3,194 ft-lbs	3,463 ft-lbs
Smallest Group at 100 yds.	1.75 inches	1.87 inches	0.87 inches
Largest Group Size	2.25 inches	2.25 inches	1.13 inches
Average Group Size	1.95 inches	2.00 inches	1.05 inches

Accuracy testing consisted of five consecutive 3-shot groups with each load.
 fps=feet per second. ft-lbs=foot-pounds