

## PERFORMANCE TABLE

<b>Winchester 150-gr. PP SP</b>	<b>Marlin 30 AW</b>	<b>Marlin 336 CS</b>	<b>Winchester 94 Ranger</b>	<b>Winchester 94 Legacy</b>
Average Velocity at 15 ft.	2,448 fps	2,425 fps	2,369 fps	2,401 fps
Standard Deviation	4 fps	20 fps	11 fps	32 fps
Average Muzzle Energy	1,998 ft-lbs	1,960 ft-lbs	1,871 ft-lbs	1,922 ft-lbs
Smallest Group at 50 yds.	1.25 inches	1.25 inches	2.00 inches	1.25 inches
Largest Group Size	1.75 inches	2.00 inches	2.50 inches	1.75 inches
Average Group Size	1.50 inches	1.65 inches	2.18 inches	1.50 inches
<b>Remington 160-gr. ER SP</b>				
Average Velocity at 15 ft.	2,441 fps	2,469 fps	2,432 fps	2,417 fps
Standard Deviation	12 fps	9 fps	17 fps	14 fps
Average Muzzle Energy	2,119 ft-lbs	2,167 ft-lbs	2,103 ft-lbs	2,077 ft-lbs
Smallest Group at 50 yds.	1.25 inches	1.75 inches	2.00 inches	1.75 inches
Largest Group Size	1.75 inches	2.13 inches	2.50 inches	2.25 inches
Average Group Size	1.55 inches	1.93 inches	2.25 inches	1.92 inches
<b>Federal 170-gr. SP RN</b>				
Average Velocity at 15 ft.	2,330 fps	2,325 fps	2,310 fps	2,292 fps
Standard Deviation	5 fps	14 fps	8 fps	2 fps
Average Muzzle Energy	2,051 ft-lbs	2,042 ft-lbs	2,016 ft-lbs	1,985 ft-lbs
Smallest Group at 50 yds.	1.63 inches	1.87 inches	2.00 inches	2.00 inches
Largest Group Size	2.13 inches	2.25 inches	2.50 inches	2.25 inches
Average Group Size	1.93 inches	2.07 inches	2.28 inches	2.05 inches
Accuracy testing consisted of five consecutive 3-shot groups with each load. fps=feet per second. ft-lbs=foot-pounds				